(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 12 December 2002 (12.12.2002)

PCT

(10) International Publication Number WO 02/099129 A2

(51) International Patent Classification⁷: C12Q 1/68

(21) International Application Number: PCT/GB02/02640

(22) International Filing Date: 7 June 2002 (07.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0113908.8 7 June 2001 (07.06.2001) GB

(71) Applicant (for all designated States except US): UNI-VERSITY COLLEGE LONDON [GB/GB]; Gower Street, London WC1E 9BT (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GRIFFITHS, David, John [GB/GB]; Wohl Virion Centre, Windeyer Institute of Medical Sciences, University College London, 46 Cleveland Street, London W1T 4JF (GB). KELLAM, Paul [GB/GB]; Wohl Virion Centre, Windeyer Institute of Medical Sciences, University College London, 46 Cleveland Street, London W1T 4JF (GB). WEISS, Robert, Anthony [GB/GB]; Wohl Virion Centre, Windeyer Institute of Medical Sciences, University College London, 46 Cleveland Street, London W1T 4JF (GB).

(74) Agent: CAMPBELL, Patrick, John, Henry; J.A. Kemp & Co., 14 South Square, Gray's Inn, London WC1R 5JJ (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

O 02/099129 A2

(54) Title: DESIGNING DEGENERATE PCR PRIMERS

(57) Abstract: A method of designing PCR primers for screening for new members of known virus families.

-1-

DESIGNING DEGENERATE PCR PRIMERS

Field of the invention

5 .

10

15

20

The invention relates to a method of designing a panel of primers for detecting viruses in a high throughput polymerase chain reaction assay.

Background of the invention

All organisms appear to be capable of infection by viruses, including bacteria, animals and plants. Viruses require the use of the cellular translation and transcription machinery to replicate. In the process of replication they often have deleterious effects on the host cell and thus on the host organism. Viruses constitute an important class of pathogens causing many diseases, leading to loss of life in humans and economic loss in the agricultural industries.

Summary of the invention

The polymerase chain reaction (PCR) allows the amplification of a specific region of a polynucleotide. The specificity of the reaction is due to the primers which during the course of PCR bind to the region to be amplified in a sequence specific manner. The invention provides a method of designing primers which can be used in high throughput screening to detect viruses. The method may be used to detect unknown viruses which have not yet been sequenced.

In particular the invention provides a method of designing a panel of degenerate primer pairs for screening for new members of multiple known virus families in a biological sample, wherein each primer pair in the panel binds a sequence that is conserved across members of a said virus family and selectively directs amplification of sequence of said family by PCR, which method comprises

- (a) providing a plurality of amino acid sequences from members of a first virus family.
 - (b) comparing the sequences to identify conserved regions,
 - (c) designing a first primer pair using a computer based method, wherein each primer in the pair binds a nucleotide sequence that encodes a conserved region

. -2-

identified in (b) and wherein the primer pair is designed to amplify by PCR the nucleotide sequence between the nucleotide sequences that encode conserved regions in members of the first virus family, and

(d) repeating steps (a) to (c) for each virus family.

The invention also provides a method of designing a panel of degenerate primer pairs for screening for new members of multiple known virus families in a biological sample, wherein each primer pair in the panel binds a sequence that is conserved across members of a said virus family and selectively directs amplification of sequence of said family by PCR, which method comprises

- (a) providing a plurality of nucleotide sequences from members of a first virus family,
 - (b) comparing the sequences to identify conserved regions,
- (c) designing a first primer pair using a computer based method, wherein each primer in the pair binds a conserved region identified in (b) and wherein the primer pair is designed to amplify by PCR the nucleotide sequence between the conserved regions in members of the first virus family, and
 - (d) repeating steps (a) to (c) for each virus family.

The invention additionally provides a panel of primers which has been designed by the method of the invention.

20

25

30

15

5

10

Detailed description of the invention

The invention provides a method of designing a panel of primer pairs which can be used in high throughput virus screening. The method comprises initial steps which deduce the sequences of the primers using computer based calculations, and optional later steps in which the primers are synthesised and tested empirically, for example to determine optimal PCR conditions and/or to select primer pairs with desired further properties.

The panel of primers provided by the method are designed to be capable of detecting unknown viruses based on nucleotide and/or amino acid sequences in the unknown virus which are similar (homologous) to nucleotide and/or amino acid sequences in a known virus. These conserved sequences typically have a role in

-3-

providing a necessary or advantageous activity or property to the virus. Conserved nucleotide sequences may be coding or non-coding sequences.

In one embodiment the conserved sequences code for or are from virus proteins which have the following activities: DNA or RNA polymerase (replicase), topoisomerase (helicase/gyrase), endonuclease (integrase), nucleic acid binding protein, protease, transcription factors, envelope glycoproteins, structural protein (e.g. capsid or nucleocapsid protein).

The panel of primers is designed to detect viruses which are single stranded or double stranded DNA or single stranded or double stranded RNA viruses. The viruses are generally capable of infecting prokaryotic or eukaryotic cells, such as bacterial, animal, plant, yeast or fungal cells. Preferably the viruses are mammalian (preferably primate) or avian viruses, such as human, pig, horse, sheep, goat, cow, chicken, turkey or duck viruses.

10

15

20

25

30

The viruses are typically from any combination of the following families:

Adenoviridae, Arenaviridae, Arteriviridae, Astroviridae, Birnaviridae, Bunyaviridae,
Caliciviridae, Circoviridae, Coronaviridae, Deltavirus, Filoviridae, Flaviviridae,
Hepadnaviridae, Herpesviridae, Orthomyxoviridae, Papovaviridae, Paramyxoviridae,
Parvoviridae, Picornaviridae, Polydnaviridae, Poxviridae, Reoviridae, Retroviridae,
Rhabdoviridae, Togaviridae or Bornavirus.

The primers of the panel are capable of detecting unknown viruses in a biological sample. Such a sample either originates from a single individual or is a pooled sample from individuals of the same species. Thus the panel of primers detects viruses which infect the same species (from which the sample originates).

Generally in the method at least 15, 30, 50, 100, 200 or more, typically up to a maximum of 300 different primer pairs are designed. The primer pairs designed in the method bind sequence which is conserved across members of a virus family. The panel which is designed in the method may comprise primer pairs that bind sequence which is conserved across substantially all members of the family or across a subset of the members of the family, for example across all members of a subfamily or of a genus. Generally, the primer pairs bind at least 70%, at least 80%, or at least 90% of the known viruses of the family, subfamily or genus. Preferably less than 10, such as

-4-.

less than 5, primer pairs will be used for the detection of any given family, subfamily or genus in the panel.

The panel of primer pairs is generally capable of detecting viruses from at least 10, 15, 20, 30 or more families, typically up to a maximum of 35 families.

5

10

15

20

25

30

The panel of primer pairs may comprise sets of primer pairs which perform a nested PCR reaction. Generally such a set of primer pairs comprises a first and second primer pair. The first primer pair is able to amplify a template nucleotide sequence from a virus to form a PCR product. The second primer pair is able to amplify a nucleotide sequence using the PCR product generated by the first primer pair as a template. The use of nested sets of primer pairs allows increased sensitivity.

In a preferred embodiment each primer pair is specific for a particular virus family, so that it does not detect viruses of other families.

In the method of the invention the plurality of amino acid sequences or nucleotide sequences are provided from different known viruses of the same family. The amino acid sequences or nucleotide sequences will be for the same protein of the different viruses. Typically at least 5, 10, 20, 50, 100 or more sequences are provided. The maximum number of sequences provided will, for example, be 300 sequences.

Each of the sequences which is provided is typically at least 20, 50, 100, 200 or more amino acids or nucleotides in length. In general the maximum length of the nucleotide sequences is 1000 nucleotides and the maximum length of the amino acid sequences is 300 amino acids. The sequences may be obtained from a database of sequences, such as GenBank. The sequences may be obtained from a database comprising virus sequences which are organised into homologous protein families (based on sequence similarity relationships).

In a preferred embodiment the sequences are obtained from the VIDA database (described in Alba et al (2001) Nucleic Acids Research 29, 133-136) or the Virus Division of GenBank. The sequences may be provided in the form of a database, preferably in computer-readable form. The sequences are preferably provided in the form of a computer-readable database constructed using programs which identify homologous protein families, such as GeneTableMaker, MKDOM or

5

10

15

20

25

30

PSCBuilder.

The sequences which have been provided are compared to identify conserved regions. Typically such conserved regions will have a length of at least 12 nucleotides, such as at least 15, 21, 27, 36, 99 or more nucleotides (generally up to a maximum length of 200 nucleotides) or at least 4, 5, 7, 10, 25 or more amino acids (generally up to a maximum length of 50 amino acids).

Across the conserved region the virus sequences which are being provided will of course share identity or similarity. Typically the amino acids or nucleotides in at least 50% of the positions in the region will be the same in at least 50 %, 60%, 70%, or 80% of the viruses of the group (i.e. in the family, genus or subfamily).

The algorithm which identifies conserved regions generally uses a multiple sequence alignment method. The method may comprise (a) aligning all pairs of sequences separately to calculate a distance matrix giving the divergence of each pair of sequences, (b) calculating a guide tree from the distance matrix, and (c) aligning the sequences progressively according to the branching order in the guide tree.

A preferred algorithm for the aligning the conserved sequences is CLUSTALW as described in Thompson et al (1994) Nucleic Acids Research 22, 4673-80. Other algorithms that can be used for aligning sequences are MultAlin (Corpet (1988) Nucleic Acids Research 16, 10881-90) or Jalview (Clamp et al (1998) http://barton.ebi.co.uk). BLOCKS of conserved regions of amino acids may be extracted from the multiple alignments, typically using the program Blocks Multiple Alignment Processor. Alternatively the entire process of performing multiple alignments and extracting BLOCKS can be performed using BLOCKMAKER (Henikoff and Henikoff (1994) Genomics 19, 97-107).

The output from the alignment and BLOCK extraction set (i.e. the information describing the identified conserved regions) is then entered into the algorithm which designs the primers. Such output is typically in the form of partial sequences which correspond to the conserved regions (BLOCKS). These BLOCKS are input into a primer design algorithm. In one embodiment such an algorithm is CODEHOP.

In the primer design step the conserved regions which are chosen as targets

-6-

for primers preferably comprise few codons with degenerate counterparts, i.e. preferably the sequence has a low redundancy, such as a redundancy of less than 512 fold, 256 fold or 128 fold. Each primer binds in accordance with Watson-Crick base pairing and thus the binding is sequence specific. Each primer will thus be designed to be wholly or partially complementary to the sequence to which it binds.

Each of the primers typically has a length of at least 8 nucleotides, such as at least 10, 12, 15, 20, 30, 40 or more nucleotides (up to a maximum of 50 nucleotides for example). In one embodiment the primer may comprises at least 2, 4 or 6, up to a maximum of 10 for example, inosine bases. Inosine is able to bind to any of the four nucleotides and therefore use of inosine causes a reduction in effective redundancy.

Each primer pair will be designed so that the PCR product generally has a length of at least 20, such as at least 50, 100, 200, 500, 1000 or more nucleotides (and typically up to a maximum of 5x10³ nucleotides long).

10

15

20

25

Each primer is preferably designed so that it anneals to a single site, i.e. the primer will not bind to any other site in the genome of the relevant virus.

Each primer is preferably designed so that it does not exhibit secondary structure, i.e. the nucleotides in the primer will not bind substantially to any other nucleotide in the primer apart from those to which it is covalently linked. In addition preferably each primer is designed so that it does not bind other primers with the same sequence.

In one embodiment the 3' region, and preferably the 3' terminal nucleotide of the primer binds to the target sequence with high affinity, thus preferably this region or nucleotide comprises a G or C.

Generally each primer is designed to have an annealing temperature of from 30 to 65°C, such as 50 to 60°C or 35 to 45°C. In addition each primer pair may be designed to ensure that the two primers do not bind to each other.

The primers are designed by a computer based algorithm. In one embodiment such an algorithm designs primers according to the following rules:

A set of blocks is input, where a block is an aligned array of amino acid
 sequence segments without gaps that represents a highly conserved region of
 homologous proteins. A weight is provided for each sequence segment, which can be

-7-

increased to favour the contribution of selected sequences in designing the primer. A codon usage table is chosen for the target genome.

- 2) An amino acid position-specific scoring matrix (PSSM) is computed for each block using the odds ratio method.
- 3) A consensus amino acid residue is selected for each position of the block as the highest scoring amino acid in the matrix.

5

10

15

20

25

- 4) For each position of the block, the most common codon corresponding to the amino acid chosen in step 3 is selected utilizing the user-selected codon usage table. This selection is used for the default 5' consensus clamp in step 8.
- 5) A DNA PSSM is calculated from the amino acid matrix (step 2) and the codon usage table. The DNA matrix has three positions for each position of the amino acid matrix. The score for each amino acid is divided among its codons in proportion to their relative weights from the codon usage table, and the scores for each of the four different nucleotides are combined in each DNA matrix position. Nucleotide positions are treated independently when the scores are combined. As an option, the highest scoring nucleotide residue from each position can replace the most common codons from step 4 that are used in the consensus clamp.
 - 6) The degeneracy is determined at each position of the DNA matrix based on the number of bases found there. As an option, a weight threshold can be specified such that bases that contribute less than a minimum weight are ignored in determining degeneracy.
 - 7) Possible degenerate core regions are identified by scanning the DNA matrix in the 3' to 5' direction. A core region must start on an invariant 3' nucleotide position, have length of 11 or 12 positions ending on a codon boundary, and have a maximum degeneracy of 128 (this is the default setting of CODEHOP). The degeneracy of a region is the product of the number of possible bases in each position.
- 8) Candidate degenerate core regions are extended by addition of a 5' consensus clamp from step 4 or 5. The length of the clamp is controlled by a melting point temperature calculation (the CODEHOP default is 60°C) and is usually about 20 nucleotides.

WO 02/099129

5

10

15

20

25

30

9) Steps 7 and 8 are repeated on the reverse complement of the DNA matrix from step 5 for primers corresponding to the opposite DNA strand.

In one embodiment CODEHOP (Rose et al (1998) Nucleic Acids Research 26, 1628-1635) is used to design the primer pairs. This program uses the above rules.

The primers designed by the algorithm may then be mapped back to the original sequence to choose primer pairs which provide the desired length of PCR product.

The above-described computer based method is repeated until the desired number of primer pairs have been designed. Optionally the primer pairs can then be synthesised and tested. They are typically tested to determine the optimal conditions for using the primers in a PCR reaction.

The PCR reaction is carried out in a PCR mixture that generally comprises the following: the template polynucleotide (which will be amplified in the event of virus detection), one or more primer pairs designed as described above, a polymerase enzyme (typically a DNA polymerase, such as Taq polymerase), deoxynucleotide triphosphates (dATP, dTTP, dCTP and dGTP) and a suitable buffer.

The PCR reaction generally comprises cycles of the following steps: a denaturation step, a primer annealing step and a polynucleotide synthesis step.

Typically the PCR reaction comprises at least 25 cycles, such as 30, 35, 40 or more cycles, up to a maximum of 60 cycles for example. Generally in the denaturation step the PCR mixture is heated to a temperature at which the polynucleotides in the PCR mixture (in particular the polynucleotide region to be amplified) denature to single stranded form. The denaturing temperature is generally from 85 to 98°C.

In the primer annealing step the primers bind to template nucleotide sequence in a sequence specific manner. This step is generally carried out at a temperature of from 30 to 65°C. In the polynucleotide synthesis step the polymerase replicates/synthesises nucleotide sequence based on template sequence by addition of nucleotides to the 3' end of the bound primers. This step is generally carried out at about 72°C.

In one embodiment the primers are tested for their ability to amplify one or

-9-

more of the plurality of nucleotide sequences from known viruses which were used to design the primers, or in the case of amino acid sequences from known viruses being used to design the primers the primers may be tested for their ability to amplify the nucleotide sequence from the virus which encodes the amino acid sequence.

The primers may be tested in a range of buffer conditions to determine optimal buffer conditions for PCR using the primers. The buffer conditions which may be tested include pH (typically between 7 and 10), magnesium concentration (typically from 0.5 mM to 5 mM), potassium chloride (typically from 0 to 100 mM), ammonium chloride (typically 0 to 100 mM), glycerol (typically 0 to 20%), dimethysulphoxide (typically 0 to 20%), ethanol (typically 0 to 20%), sorbitol (typically 0 to 20%) or betaine (typically 1M betaine).

5

10

15

20

25

30

The primers may be tested at a range of different temperatures to determine the optimal temperatures in the PCR reaction. Preferably the primers are tested in PCR reaction in which a range of primer annealing temperatures are tested. Typically the range of temperatures is from 30 to 65°C.

The panel of primer pairs or a group of primers within the panel may be designed to be used together on the same plate (i.e. using the same thermal cycles). Thus such primer pairs will be designed to work at the same annealing temperature.

In one embodiment a group of primer pairs within the panel are designed to have similar optimal conditions for use in PCR so that they can be used optimally in the same well or reaction vessel, i.e. that they can be used in multiplex PCR. Such a group typically comprises at least 2, 3, 4, 5, 6 or more primer pairs (up to a maximum of 8 primer pairs for example).

To provide such primer pairs the computer based method steps may be used to design primer pairs which are calculated to have similar annealing temperatures and/or the primers are tested to select primer pairs which can be used optimally together. Such testing typically determines whether the primers work optimally with the same buffers and/or whether the primers have similar annealing temperatures.

In one embodiment at least one or both primers of each primer pair in the group carries a label. Typically at least one of the primers in each primer pair will carry a different label from that used for the other primer pairs. The PCR product

generated by labelled primers carries the labels present on the primers. Thus after the group of primers have been used for PCR in the same well detection of the labels in the PCR products can be used to deduce which PCR product was formed from each primer pair. In one embodiment all forward primers of the group are labelled with one colour and the reverse primers are labelled with a different colour.

In a preferred embodiment the primers are labelled with a fluorescent label, such as fluorescein based labels (e.g. fluorescein isothiocyanate). Different primer pairs may be labelled with fluorescent labels of different colours. The fluorescent labels which are used may be capable of detection by a Beckman CEQ2000TM or Applied Biosystems A3700TM fluorescent DNA analyser. The fluorescent labels may obtained from Beckman Coulter or Applied Biosystems.

Another way of being able to determine which PCR products are generated by which primer pair is for each primer pair in the group to generate a PCR product of different size to the PCR products generated by the other primer pairs of the group. Typically each PCR product which is generated by the group of primers differs in size from all the other PCR products by at least 20, such as at least 50, 100, 200, 500, 1000 or more nucleotides. Each PCR product may for example differ in size from all other PCR products by up to a maximum of 3000 nucleotides.

The following Example illustrates the invention:

20 Example

5

10

15

30

The Example below refers to Figure 1 which shows how primers were designed using a database known as 'VIDA', and computer programs know as 'CLUSTALW', 'BLOCKMAKER' (or 'BLOCKS') and 'CODEHOP'.

25 Designing a panel of primers

A panel of primers was designed for detecting unknown viruses from the family Herpesviridae according to the strategy shown in Figure 1. The amino acid sequences of herpes virus DNA packaging protein UL15 were obtained from the VIDA database (Alba et al, see above). These sequences are shown in Table 1.

The sequences obtained from the VIDA database were then imported into CLUSTALW. This compares the protein sequences to identify conserved regions

-11-

and then aligns the sequences according to the conserved regions. The alignment produced by CLUSTALW is shown in Table 2.

The BLOCKMAKER program was then used to extract blocks of conserved aligned sequences which do not contain gaps from CLUSTALW and enter them into CODEHOP. The primer sequences were then designed by CODEHOP using the conserved sequences. The output from the CODEHOP program is shown in Table 3. The 'Complement of Block' sequences shown in Table 3 shows the sequence of the other strand allowing primers to be designed for amplification in the opposite direction.

Table 1. All protein sequences of DNA packaging protein UL15 extracted from VIDA. Here written as a list and unaligned.

>gi_10180719

5 MFGGLLGEETKRHFERLMKTKNDRLGASHRNERSIRDGDMVDAPFLNFAIPVPRRHQTVMPAIGILHNCC
DSLGIYSAITTRMLYSSIACSEFDELRRDSVPRCYPRITNAQAFLSPMMRVANSIIFQEYDEMECAAHR
NAYYSTMNSFISMRTSDAFKQLTVFISRFSKLLIASFRDVNKLDDHTVKKRARIDAPSYDKLHGTLELFQ
KMILMHATYFVTSVLLGDHAERAERLLRVAFDTPHFSDIVTRHFRQRATVFLVPRRHGKTWFLVPLIALA
MSSFEGIRIGYTSHIRKAIEPVFEDIGDRLRRWFGAHRVDHVKGETITFSFPSGLKSTVTFASSHNTNSI
RGQDFNLLFVDEANFIRPDAVQTIIGFLNQATCKIIFVSSTNSGKASTSFLYGLKGSADDLLNVVTYICD
EHMKHVTDYTNATSCSCYVLNKPVFITNDGAMRRTAEMFLPDSFMQEIIGGGVVDRTICQGDRSIFTASA
IDRFLIYRPSTVNNQDPFSQDLYVYVDPAFTANTKASGTGVAVIGKYGTDYIVFGLEHYFLRALTGESSD
SIGYCVAQCLIQICAIHRKRFGVIKIAIEGNSNQDSAVAIATRIAIEMISYMKAAVAPTPHNVSFYHSKS
NGTDVEYPYFLLQRQKTTAFDFFIAQFNSGRVLASQDLVSTTVSLTTDPVEYLTKQLTNISEVVTGPTCT

15 RTFSGKKGGNDDTVVALTMAVYISAHIPDMAFAPIRV

RTFSGKKGGNDDTVVALTMAVYISAHIPDMAFAPIRV

>gi_7673189

20

25

30

35

MFGGLLGEETKRHFERLMKTKNDRLGASHRNERSIRDGDMVDAPFLNFAIPVPRRHQTVMPAIGILHNCC
DSLGIYSAITTRMLYSSIACSEFDELRRDSVPRCYPRITNAQAFLSPMMRVANSIIFQEYDEMECAAHR
NAYYSTMNSFISMRTSDAFKQLTVFISRFSKLLIASFRDVNKLDDHTVKKRARIDAPSYDKLHGTLELFQ
KMIFDACHLFCNFCFTWRSRRASERLLRVAFDTPHFSDIVTRHFRQRATVFLVPRRHGKTWFLVPLIALA
MSSFEGIRIGYISHIRKAIEPVFEDIGDRLRRWFGAHRVDHVKGETITFSFPSGLKSTVTFASSHNTNSI
RGQDFNLLFVDEANFIRPDAVQTIIGFLNQATCKIIFVSSTNSGKASTSFLYGLKGSADDLLNVVTYICD
EHMKHVTDYTNATSCSCYVLNKPVFITMDGAMRRTAEMFLPDSFMQEIIGGGVVDRTICQGDRSIFTASA
IDRFLIYRPSTVNNQDPFSQDLYVYVDPAFTANTKASGTGVAVIGKYGTDYIVFGLEHYFLRALTGESSG
SIGYCVAQCLIQICAIHRKRFGVIKIAIEGNSNQDSAVAIATRIAIEMISYMKAAVAPTPHNVSFYHSKS
NGTDVEYPYFLLQRQKTTAFDFFIAQFNSGRVLASQDLVSTTVSLTTDPVEYLTKQLTNISEVVTGPTCT

>gi_5689285

MFGGALGESAKKHFERLLRDRNERLGASRKNECLARGGSLVDAPFLNFAISVPRRHQTVMPAVGTLHDCC
DGTGIYSAIATRLLYAGIVSSEFGEVRRESLSNGHISKRNREALLAPTLTRVANSITFHEYDDAQCAAHR
NAYYSTMNTFGSMRTSDAFQQLASFIDRFSKLLAASFKDVNILDRNNAPKRARITAPSYDKPHGTLELFQ
KMILMHATYFLTSVLLEDHAERAERLLRVIFDIPDFSDAATRHFRQRATVFLVPRRHGKTWFLVPLIALA
MSSFEGIRIGYTSHIRKAIEPVFEEIGDRLRRWFGTQCVDHVKGETITFSFPSGSRSTVTFASSHNTNSI
RGQDFNLLFVDEANFIRPDAVQTIIGFLNQANCKIIFVSSTNSGKASTSFLYGLKGSADDLLNVVTYICD
EHMKHVTNYTNATSCSCYVLNKPVFITMDGAMRRTAEMFLPDSFMKEIIGGITMDRNTCQGDRGVFTASA
VERLLLYRPSTVRNQDILSRDLYVYVDPAFTANTRASGTGIAVIGRYGADYIIFGLEHFFLRALTGESAD
AIGECAAQCIAQICAIHCERFGTIRVAVEGNSNQDSAVAIATRISIDLASYVQSGVAPAPHDVCFYHSKP
AGSNVEYPFFLLQRQKTAAFDFFIARFNSGRVLASQDLVSTTISLSTDPVEYLTKQLTNLSEVVTGATGT
RTFSGKKGGYDDTVVALVMAVYISAHASDATFAPIRGVEATCRGPTEA

39i_1869837
MFGQQLASDVQQYLERLEKQRQQKVGVDEASAGLTLGGDALRVPFLDFATATPKRHQTVVPGVGTLHDCC
EHSPLFSAVARRLLFNSLVPAQLRGRDFGGDHTAKLEFLAPELVRAVARLRFRECAPEDAVPQRNAYYSV
LNTFQALHRSEAFRQLVHFVRDFAQLLKTSFRASSLAETTGPPKKRAKVDVATHGQTYGTLELFQKMILM
HATYFLAAVLLGDHAEQVNTFLRLVFEIPLFSDTAVRHFRQRATVFLVPRRHGKTWFLVPLIALSLASFR
GIKIGYTAHIRKATEPVFDEIDACLRGWFGSSRVDHVKGETISFSFPDGSRSTIVFASSHNTNGIRGQDF

NLLFVDEANFIRPDAVQTIMGFLNQANCKIIFVSSTNTGKASTSFLYNLRGAADELLNVVTYICDDHMPR
VVTHTNATACSCYILNKPVFITMDGAVRTADLFLPDSFMQEIIGGQARETGDDRPVLTKSAGERFLLYR
PSTTTNSGLMAPELYVYVDPAFTANTRASGTGIAVVGRYRDDFIIFALEHFFLRALTGSAPADIARCVVH
SLAQVLALHPGAFRSVRVAVEGNSSQDSAVAIATHVHTEMHRILASAGANGPGPELLFYHCEPPGGAVLY

PFFLLNKQKTPAFEYFIKKFNSGGVMASQELVSVTVRLQTDPVEYLSEQLNNLIETVSPNTDVRMYSGKR NGAADDLMVAVIMAIYLAAPTGIPPAFFPITRTS

>gi_59501

10

15

35

40

MFGQQLASDVQQYLERLEKQRQLKVGADEASAGLTMGGDALRVPFLDFATATPKRHQTVVPGVGTLHDCC
EHSPLFSAVARRLLFNSLVPAQLKGRDFGGDHTAKLEFLAPELVRAVARLRFKECAPADVVPQRNAYYSV
LNTFQALHRSEAFRQLVHFVRDFAQLLKTSFRASSLTETTGPPKKRAKVDVATHGRTYGTLELFQKMILM
HATYFLAAVLLGDHAEQVNTFLRLVFEIPLFSDAAVRHFRQRATVFLVPRRHGKTWFLVPLIALSLASFR
GIKIGYTAHIRKATEPVFEEIDACLRGWFGSARVDHVKGETISFSFPDGSRSTIVFASSHNTNGIRGQDF
NLLFVDEANFIRPDAVQTIMGFLNQANCKIIFVSSTNTGKASTSFLYNLRGAADELLNVVTYICDDHMPR
VVTHTNATACSCYILNKPVFITMDGAVRRTADLFLADSFMQEIIGGQARETGDDRPVLTKSAGERFLLYR
PSTTTNSGLMAPDLYVYVDPAFTANTRASGTGVAVVGRYRDDYIIFALEHFFLRALTGSAPADIARCVVH
SLTQVLALHPGAFRGVRVAVEGNSSQDSAVAIATHVHTEMHRLLASEGADAGSGPELLFYHCEPPGSAVL
YPFFLLNKQKTPAFEHFIKKFNSGGVMASQEIVSATVRLQTDPVEYLLEQLNNLTETVSPNTDVRTYSGK

>gi_2605992

- 20 mfgkalsretiqyfetlrkevqsrsgaknraaeaqtggeddvktaflnfaiptpqrhqtvvpgvgtlhdc
 cetaqifasvarrllfrslskwrggeskerldpssveayvdpkvkqalktisfveyndaearscrnayys
 imntfdslrssdafhqvanfvarfsrlvdtsfngadldgdgqqtskrikvdvptygkqrgtlelfqkmil
 mhatyfiaavilgdhadrigaflkmvfntpefsdatirhfrqratvflvprrhgktwflvplialalatf
 kgikigytahirkatepvfdeigarlrqwfgnspvdhvkgenisfsfpdgskstivfasshntngirqqd
 fnllfvdeanfirpeavqtiigflnqtnckiifvsstntgkastsflynlkgaadellnvvtyicdehme
 rvkahtnatscscyilnkpvfitmdgamrntaelflpdsfmqeiigggnisgahrdepvftktaqdrfll
 yrpstvanqdimsnnlyvyvdpafttnamasgtgvavvgryrsnwivfglehfflsaltgssaeliarcv
 aqclakvfaihsrpfdsvriavegnssqdaavaiatniqlelntlrqadvvhmpgtvlfyhctppgssva
 ypffllqkqktgafdhfikafnsglvlasqelisntvrlqtdpveylltqmknltevitgtsetrvftgk
- 30 RNGASDDMLVALVMAVYMASLPPTTNAFSSLSTQ

>gi_330792

MFGRVLGRETVQYFEALRREVQARRGAKNRAAEAQNGGEDDAKTAFLNFAIPTPQRHQTVVPGVGTLHDC
CETAQIFASVARRLLFRSLSKWQSGEARERLDPASVEAYVDPKVRQALKTISFVEYSDDEARSCRNAYYS
IMNTFDALRSSDAFHQVASFVARFSRLVDTSFNGADLDGDGQQASKRARVDVPTYGKQRGTLELFQKMIL
MHATYFIAAVILGDHADRIGAFLKMVFNTPEFSDATIRHFRQRATVFLVPRHGKTWFLVPLIALALATF
KGIKIGYTAHIRKATEPVFDEIGARLRQWFGNSPVDHVKGENISFSFPDGSKSTIVFASSHNTNGIRGQD
FNLLFVDEANFIRPEAVQTIIGFLNQTNCKIIFVSSTNTGKASTSFLYNLKGAADDLLNVVTYICDEHME
RVKAHTNATACSCYILNKPVFITMDGAMRNTAELFLPDSFMQEIIGGGNVSGAHRDEPVFTKTAQDRFLL
YRPSTVANQDIMSSDLYVYVDPAFTTNAMASGTGVAVVGRYRSNWVVFGMEHFFLSALTGSSAELIARCV
AQCLAQVFAIHKRPFDSVRVAVEGNSSQDAAVAIATNIQLELNTLRRADVVPMPGAVLFYHCTPHGSSVA

RNGASDDMLVALVMAVYLSSLPPTSDAFSSLPAQ

gi_971317>

MFGGAVGEQSARYFQRLLRERQRRAAERGARPDGGGGARGEDDARVPFLDFAVAAPKRHQTVVPGVGTLH

45 GYCELAPLFAATASRLLLTSMARAEAGLNTGTGEAHVSRELAGVLSALRFAAHPPAEAAAHCNAYHSVMA
ALESMRASGAFAQVAAFVARFSRLVGTSFSHLGGGDDADPPRAKRARVEPPSGQTRGALELFQKMILMPA

5

10

15

TYFVAATLLGEHAERIGAFLRVAFNTPDFSDAAVAHFRQRATVFLVPRRHGKTWFLVPLIALALATFKGI
KIGYTAHIRKATEPVFEEIVARLRQWFGGERVDHVKGEVISFSFPDGARSTIVFASSHNTNGIRGQDFNL
LFVDEANFIRPEAVQTIVGFLNQASCKIIFVSSTNTGKASTSFLYNLKGASDGLLNVVTYICNEHTPRVA
AHGGATACSCYVLNKPVFITMDAAARNTAETFLPNSFMQEIIGGGEVARRAEPAAVFTRAAGEQFLLYRP
STAAARGPWPERLYMYIDPAFTSNARASGSGIAVVGRHRGSWLVLGLEHFFLPALTGSSAAEIARCAVRC
FAQVMAVHRRRLDGLFVAVEGNSSQDSAVAIALGVRRELDSLAASGAVPMPAETRFYHCRPPGSAVAYPF
FLLQKQKTAAFDHFIRLFNSGRVVASQDLASLTVRLQTDPVEYLFEQLQNLTESTAGPGGARAFSGKRRG
AADDLMVALVMAVFVGSLPPTDGAFCPLAPRPPAD

>gi_5869808

- MSLIMFGRTLGEESVRYFERLKRRRDERFGTLESPTPCSTRQGSLGNATQIPFLNFAIDVTRRHQAVIPG
 IGTLHNCCEYIPLFSATARRAMFGAFLSSTGYNCTPNVVLKPWRYSVNANVSPELKKAVSSVQFYEYSPE
 EAAPHRNAYSGVMNTFRAFSLSDSFCQLSTFTQRFSYLVETSFESIEECGSHGKRAKVDVPIYGRYKGTL
 ELFQKMILMHTTHFISSVLLGDHADRVDCFLRTVFNTPSVSDSVLEHFKQKSTVFLVPRRHGKTWFLVPL
 IALVMATFRGIKVGYTAHIRKATEPVFEGIKSRLEQWFGANYVDHVKGESITFSFTDGSYSTAVFASSHN
 TNGIRGQDFNLLFVDEANFIRPDAVQTIVGFLNQTNCKIIFVSSTNTGKASTSFLYNLRGSSDQLLNVVT
 YVCDDHMPRVLAHSDVTACSCYVLNKPVFITMDGAMRRTADLFMADSFVQEIVGGRKQNSGGVGFDRPLF
 TKTARERFILYRPSTVANCAILSSVLYVYVDPAFTSNTRASGTGVAIVGRYKSDWIIFGLEHFFLRALTG
 TSSSEIGRCVTQCLGHILALHPNTFTNVHVSIEGNSSQDSAVAISLAIAQQFAVLEKGNVLSSAPVLLFY
 HSIPPGCSVAYPFFLLQKQKTPAVDYFVKRFNSGNIIASQELVSLTVKLGVDPVEYLCKQLDNLTEVIKG
- 20 gmgnldtktytgkgttgtmsddlmvalimsvyigsscipdsvfmpik
 >gi_5708110

 mlgkesveivkryrdalrkrtmergpddvdgqemsdsnfittasicdrndsardtmnspasrfqfaidvp
 Qrhqaciapigsfhnccaisrafsymaseiiyenlasystkytdtdaalndlqvspkrqlftgaaedsil
 palrqklanlnfarfapsdslihdkafdgimngyrgfvksdefsqlnnfiyrfhtllkksfsgqasndyk
 25 raklekttseqrdgtlelfqkmilmhatyfassiclgegstersnrylstvfntslfseniiqhfrqrtt
 vflvprrhgktwflvplisllvssfegirigytahlrkatepvfieiftrlykwfgakqveqvkgetitf
 tfrngnksaivfassqntnglrgqdfnflfvdeanfikpaalhtvmgflnqtncklffvsstntchsnts
 llynlkgktnsllnvvtyicdehmpeiqkrtdvttcscyvlhkpvfvsmdsevrntadlfvkdsfmheia
 ggragkydsdrtlvpvraldqfliyrpstsskpnisglgkiltvyvdpafttnrsasgtgialvtalrds
 30 mvlmgaehfyldaltgeaaleiaqcvylciaycclihagafreiriavegnssqdsaaaiagnltellds
 lrrrlgfsltfahsrqfgtamahpfyllnkqksrafdlfvslfnsgrfmasqelvsntlvlskdpceylv

 ${\tt DQIRNITVTHGQGPDSFRTFSGKQGRVPDDMLVAAVMSTYLALEGSPTAGYHPIAPIGRRQRPA}$

>gi_1813970

MLRGDSAAKIQERYAELQKRKSHPTSCISTAFTNVATLCRKRYQMMHPELGLAHSCNEAFLPLMAFCGRH

RDYNSPEESQRELLFHERLKSALDKLTFRPCSEEQRASYQKLDALTELYRDPQFQQINNFMTDFKKWLDG
GFSTAVEGDAKAIRLEPFQKNLLIHVIFFIAVTKIPVLANRVLQYLIHAFQIDFLSQTSIDIFKQKATVF
LVPRRHGKTWFIIPIISFLLKHMIGISIGYVAHQKHVSQFVLKEVEFRCRHTFARDYVVENKDNVISIDH
RGAKSTALFASCYNTNSIRGQNFHLLLVDEAHFIKKEAFNTILGFLAQNTTKIIFISSTNTTSDSTCFLT
RLNNAPFDMLNVVSYVCEEHLHSFTEKGDATACPCYRLHKPTFISLNSQVRKTANMFMPGAFMDEIIGGT

NKISQNTVLITDQSREEFDILRYSTLNTNAYDYFGKTLYVYLDPAFTTNRKASGTGVAAVGAYRHQFLIY
GLEHFFLRDLSESSEVAIAECAAHMIISVLSLHPYLDELRIAVEGNTNQAAAVRIACLIRQSVQSSTLIR
VLFYHTPDQNHIEQPFYLMGRDKALAVEQFISRFNSGYIKASQELVSYTIKLSHDPIEYLLEQIQNLHRV

>gi 2746296

45 MLRSCDIDAIQKAYQSIIWKHEQDVKISSTFPNSAIFCQKRFIILTPELGFTHAYCRHVKPLYLFCDRQR HVKSKIAICDPLNCALSKLKFTAIIEKNTEVQYQKHLELQTSFYRNPMFLQIEKFIQDFQRWICGDFENT

TLAEGTTARYSAKRONRISDDLIIAVIMATYLCDDIHAIRFRVS

NKKERIKLEPFQKSILIHIIFFISVTKLPTLANHVLDYLKYKFDIEFINESSVNILKQKASVFLVPRRHG
KTWFMIPVICFLLKNLEGISIGYVAHQKHVSHFVMKDVEFKCRRFFPQKNITCQDNVITIEHETIKSTAL
FASCYNTHSIRGQSFNLLIVDESHFIKKDAFSTILGFLPQSSTKIIFISSTNSGNHSTSFLTKLSNSPFE
MLTVVSYVCEDHVHILNDRGNATTCACYRLHKPKFISINADVKKTADLFLEGAFKHEIMGGSLCNVVNDT
LITEQGLIEFDLFRYSTISKQIIPFLGKELYIYIDPAYTINRRASGTGVAAIGTYGDQYIIYGMEHYFLE
SLLSNSDASIAECASHMILAVLELHPFFTELKIIIEGNSNQSSAVKIACILKQTISVIRYKHITFFHTLD
QSQIAQPFYLLGREKRLAVEYFISNFNSGYIKASQELISFTIKITYDPIEYVIEQIKNLHQININEHVTY
NAKKQTCSDDLLISIIMAIYMCHEGKQTSFKEI

>gi_325496

- 10 MLRTCDITHIKNNYEAIIWKGERDCSTISTKYPNSAIFYKKRFIMLTPELGFAHSYNQQVKPLYTFCEKQ
 RHLKNRKPLTILPSLSHKLQEMKFLPASDKSFESQYTEFLESFKILYREPLFLQIDGFIKDFRKWIKGEF
 NDFGDTRKIQLEPFQKNILIHVIFFIAVTKLPALANRVINYLTHVFDIEFVNESTLNTLKQKTNVFLVPR
 RHGKTWFIVPIISFLLKNIEGISIGYVAHQKHVSHFVMKEVEFKCRRMFPEKTITCLDNVITIDHQNIKS
 TALFASCYNTHQSIRGQSFNLLIVDESHFIKKDAFSTILGFLPQASTKILFISSTNSGNHSTSFLMKLNN
 SPFEMLSVVSYVCEDHAHMLNERGNATACSCYRLHKPKFISINAEVKKTANLFLEGAFIHEIMGGATCNV
 INDVLITEQGQTEFEFFRYSTINKNLIPFLGKDLYVYLDPAYTGNRRASGTGIAAIGTYLDQYIVYGMEH
 YFLESLMTSSDTAIAECAAHMILSILDLHPFFTEVKIIIEGNSNQASAVKIACIIKENITANKSIQVTFF
 HTPDQNQIAQPFYLLGKEKKLAVEFFISNFNSGNIKASQELISFTIKITYDPVEYALEQIRNIHQISVNN
 YITYSAKKQACSDDLIIAIIMAIYVCSGNSSASFREI
- 20 >gi_854039

 MKINNSPFEMLSVVSYVCEDHAHMINERGNATACSCYRLHKPKFISINAEVKKTANLFLEGAFIHEIMGG

 ATCNVINDVLITEQGQTEFEFFRYSTINKNLIPFLGKDLYVYLDPAYTGNRRASGTGIAAIGTYLDQYIV

 YGMEHYFLESIMTSSDTAIAECAAHMILSILDLHPFFTEVKIIIEGNSNQASAVKIACIIKENITANKSI

 QVTFFHTPDQNQIAQPFYLLGKEKKLAVEFFISNFNSGNIKASQELISFTIKITYDPVEYALEQIRNIHQ

 25 ISVNNYITYSAKKQACSDDLIIAIIMAIYVCSGNSSASFREI

ori 5733564

30

35

MLRTCDITHIKNNYEAIIWKGERNCSTISTKYPNSAIFYKKRFIMLTPELGFAHSYNQQVKPLYTFCEKQ
RHLKNRKPLTILPSLTRKLQEMKFLPASDKSFESQYTEFLESFKILYREPLFLQIDGFIKDFRKWIKGEF
NDFGDTRKIQLEPFQKNILIHVIFFIAVTKLPALANRVINYLTHVFDIEFVNESTLNTLKQKTNVFLVPR
RHGKTWFIVPIISFLLKNIEGISIGYVAHQKHVSHFVMKEVEFKCRRMFPEKTITCLDNVITIDHQNIKS
TALFASCYNTHSIRGQSFNLLIVDESHFIKKDAFSTILGFLPQASTKILFISSTNSGNHSTSFLMKLNNS
PFEMLSVVSYVCEDHAHMLNERGNATACSCYRLHKPKFISINAEVKKTANLFLEGAFIHEIMGGATCNVI
NDVLITEQGQTEFEFFRYSTINKNLIPFLGKDLYVYLDPAYTGNRRASGTGIAAIGTYLDQYIVYGMEHY
FLESLMTSSDTAIAECAAHMILSILDLHPFFTEVKIIIEGNSNQASAVKIACIIKENITANKSIQVTFFH
TPDQNQIAQPFYLLGKEKKLAVEFFISNFNSGNIKASQELISFTIKITYDPVEYALEQIRNIHQISVNNY

>gi_4996048

ITYSAKKOACSDDLIIAIIMAIYVCSGNSSASFREI

MKLNNSPFEMLSVVSYVCEDHAHMLNERGNATACSCYRLHKPKFISINAEVKKTANLFLEGAFIHEIMGG
ATCNVINDVLITEQGQTEFEFFRYSTINKNLIPFLGKDLYVYLDPAYTGNRRASGTGIAAIGTYLDQYIV
YGMEHYFLESIMTSSDTAIAECAAHMILSILDLHPFFTEVKIIIEGNSNQASAVKIACIIKENITANKSI
QVTFFHTPDQNQIAQPFYLLGKEKKLAVEFFISNFNSGNIKASQELISFTIKITYDPVEYALEQIRNIHQ
ISVNNYITYSAKKOACSDDLIIAIIMAIYVCSGNSSASFREI

>gi 1136808

MILSRHRERLAANLEETAKDAGERWELSAPTFTRHCPKTARMAHPFIGVVHRINSYSSVLETYCTRHHPA

45 TPTSANPDVGTPRPSEDNVPAKPRLLESLSTYLQMRCVREDAHVSTADQLVEYQAGRKTHDSLHACSVYR
ELQAFLVNLSSFLNGCYVPGVHWLEPFQQQLVMHTFFFLVSIKAPQKTHQLFGLFKQYFGLFETPNSVLQ

TFKQKASVFLIPRRHGKTWIVVAIISMLLASVENINIGYVAHQKHVANSVFAEIIKTLCRWFPPKNLNIK

KENGTIIYTRPGGRSSSLMCATCFNKNSIRGQTFNLLYVDEANFIKKDALPAILGFMLQKDAKLIFISSV

NSSDRSTSFLLNLRNAQEKMLNVVSYVCADHREDFHLQDALVSCPCYRLHIPTYITIDESIKTTTNLFME

GAFDTELMGEGAASSNATLYRVVGDAALTQFDMCRVDTTAQEVQKCLGKQLFVYIDPAYTNNTEASGTGV

GAVVTSTQTPTRSLILGMEHFFLRDLTGAAAYEIASCACTMIKAIAVLHTTIERVNAAVEGNSSQDSGVA

IATVLNEICPLPIHFLHYTDKSSALQWPIYMLGGEKSSAFETFIYALNSGTLSASQTVVSNTIKISFDPV

TYLVEQVRAIKCVPLRDGGQSYSAKQKHMSDDLLVAVVMAHFMATDDRHMYKPISPQ

>g1 1718281

MLQKDAKLIFISSVNSSDRSTSFLLNLRNAQEKMLNVVSYVCADHREDFHLQDALVSCPCYRLHIPTYIT

10 IDESIKTTINLFMEGAFDTELMGEGAASSNATLYRVVGDAALTQFDMCRVDTTAQQVQKCLGKQLFVYID
PAYTNNTEASGTGVGAVVTSTQTPTRSLILGMEHFFLRDLTGAAAYEIASCACTMIKAIAVLHPTIERVN
AAVEGNSSQDSGVAIATVLNEICPLPIHFLHYTDKSSALQWPIYMLGGEKSSAFETFIYALNSGTLSASQ
TVVSNTIKISFDPVTYLVEQVRAIKCVPLRDGGQSYSAKQKHMSDDLLVAVVMAHFMATDDRHMYKPISP

15 >gi 2246515

20

25

30

MLQKDAKLIFISSVNSSDRSTSFILINLRNAQEKMLNVVSYVCADHREDFHLQDALVSCPCYRLHIPTYIT

IDESIKTTTNLFMEGAFDTELMGEGAASSNATLYRVVGDAALTQFDMCRVDTTAQQVQKCLGKQLFVYID

PAYTNNTEASGTGVGAVVTSTQTPTRSLILGMEHFFLRDLTGAAAYEIASCACTMIKAIAVLHPTIERVN

AAVEGNSSQDSGVAIATVLNEICPLPIHFLHYTDKSSALQWPIYMLGGEKSSAFETFIYALNSGTLSASQ

TVVSNTIKISFDPVTYLVEQVRAIKCVPLRDGGQSYSAKQKHMSDDLLVAVVMAHFMATDDRHMYKPISP

>gi_2246552

MILISRHRERLAANLQETAKDAGERWELSAPTFTRHCPKTARMAHPFIGVVHRINSYSSVLETYCTRHHPA
TPTSANPDVGTPRPSEDNVPAKPRLLESLSTYLQMRCVREDAHVSTADQLVEYQAARKTHDSLHACSVYR
ELQAFLVNLSSFLNGCYVPGVHWLEPFQQQLVMHTFFFLVSIKAPQKTHQLFGLFKQYFGLFETPNSVLQ
TFKQKASVFLIPRRHGKTWIVVAIISMLLASVENINIGYVAHQKHVANSVFAEIIKTLCRWFPPKNLNIK
KENGTIIYTRPGGRSSSLMCATCFNKNSIRGQTFNLLYVDEANFIKKDALPAILGFMLQKDAKLIFISSV
NSSDRSTSFLLNLRNAQEKMLNVVSYVCADHREDFHLQDALVSCPCYRLHIPTYITIDESIKTTTNLFME
GAFDTELMGEGAASSNATLYRVVGDAALTQFDMCRVDTTAQQVQKCLGKQLFVYIDPAYTNNTEASGTGV
GAVVTSTQTPTRSLILGMEHFFLRDLTGAAAYEIASCACTMIKAIAVLHPTIERVNAAVEGNSSQDSGVA
IATVLNEICPLPIHFLHYTDKSSALQWPIYMLGGEKSSAFETFIYALNSGTLSASQTVVSNTIKISFDPV
TYLVEQVRAIKCVPLRDGGQSYSAKQKHMSDDLLVAVVMAHFMATDDRHMYKPISPQ

>gi_4494933

MLQKDAKLIFISSSNSSDKSTSFLLNLKDAHEKMLNVVNYVCPDHKDDFNLQDTVVACPCYRLHIPAYIT

IDETVRSTTNLFLEGAFSTELMGDAATSAQSMHKIVSDSSLSQLDLCRVKSTSQDIQGAMKPCLHVYIDP
AYTNNTDASGTGIGAVIAVNHKVIKCILLGVEHFFLRDLTGTAAYQIASCAAALIRAIVTLHPQITHVNV
AVEGNSSQDAGVAIATVLNEICSVPLSFLHHVDKNTLIRSPIYMLGPEKAKAFESFIYALNSGTFSASQT
VVSHTIKLSFDPVAYLIDQIKAIRCIPLKDGGHTYCAKQKTMSDDVLVAAVMAHYMATNDKFVFKSLE
>gi_7330018

- 40 mlqkdaklifisssnssdkstsflinlkdahekminvvnyvcpdhkddfnlqdtvvacpcyrlhipayit idetvrsttnlflegafstelmgdaatsaqsmhkivsdsslsqldlcrvestsqdiqgamkpclhvyidp aytnntdasgtgigaviavnhkvikcillgvehfflrdltgtaayqiascaaaliraivtlhpqithvnv avegnssqdagvaiatvlneicsvplsflhhadkntlirspiymlgpekakafesfiyalnsgtfsasqt vvshtiklsfdpvaylidqikairciplkdgghtycakqktmsddvlvaavmahymatndkfvfksle
- 45 >gi_4019255
 MILLKAKKALMENLTEASSTQSETEWTVDTPTMITNIKKSERMAYSKIGVIPSINLYSASLTSFCRLYRP

LALKQPLPQTGTLRLLPSEKPYISQKLSNYVKSLTLKHVWHDIEAEAEYYASVQTEKTFMECPIYLELRQ

FIINLSSFLNGCYVKKSTHIEPFQLQLILHTFYFLISIKSPESTNKLFDIFKEYFGLGEMDSAMLQNFKQ

KASIFLIPRRHGKTWIVVAIISMLITSVENLHVGYVAHQKHVANSVFTEIINTLQKWFPSKNIDVKKENG

TIIYKIPGKKPSTLMCASCFNKNSIRGQTFNLLYIDEANFIKKDSLPAILGFMLQKDAKLIFISSVNSGD

KATSFLFNLKNASEKMLNIVNYICPDHKDDFSLQDSLISCPCYKLYIPTYITIDETIKNTTNLFLDGAFT

TELMGDISVMSKNNIHKVIGETALMQFDLCRIDTTKPEITQCLNSIMYLYIDPAYTNNSEASGTGIGAII

ALKNNSSKCIIVGIEHYFLKDLTGTATYQIASCACSLIRAALVLYPHIQAVHVAVEGNSSQDSAVAISTF

LNECSPVKVNFMHYKDKTTAMQWPIYMLGSEKSQAFESFIYAINSGTISASQSIISNTIKLTFDPISYLI

EQIRAIRCYPLRDGSHTYCAKKRTVSDDVLVAVVMAHFFSTSNKHIFKQLNSI

10 >gi_4019257

MLQKDAKLIFISSVNSGDKATSFLFNLKNASEKMLNIVNYICPDHKDDFSLQDSLISCPCYKLYIPTYIT
IDETIKNTTNLFLDGAFTTELMGDISVMSKNNIHKVIGETALMQFDLCRIDTTKPEITQCLNSIMYLYID
PAYTNNSEASGTGIGAIIALKNNSSKCIIVGIEHYFLKDLTGTATYQIASCACSLIRAALVLYPHIQAVH
VAVEGNSSQDSAVAISTFLNECSPVKVNFMHYKDKTTAMQWPIYMLGSEKSQAFESFIYAINSGTISASQ
SIISNTIKLTFDPISYLIEQIRAIRCYPLRDGSHTYCAKKRTVSDDVLVAVVMAHFFSTSNKHIFKQLNS

I

15

20

25

30

40

>gi_60355

MILLKAKKAI IENLSEVSSTQAETDWDMSTPTI ITNTSKSERTAYSKIGVI PSVNLYSSTLTSFCKLYHP
LITLNQTQPQTGTLRLLPHEKPLILQDLSNYVKLLTSQNVCHDTEANTEYNAAVQTQKTSMECPTYLELRQ
FVINLSSFLNGCYVKRSTHIEPFQLQLILHTFYFLISIKSPESTNRLFDIFKEYFGLREMDPDMLQIFKQ
KASIFLIPRRHGKTWIVVAI ISMLLTSVENIHVGYVAHQKHVANSVFTEI INTLQKWFPSRYIDIKKENG
TIIYKSPDKKPSTLMCATCFNKNSIRGQTFNLLYIDEANFIKKDSLPAILGFMLQKDAKLIFISSVNSGD
RATSFLFNLKNASEKMLNIVNYICPDHKDDFSLQDSLISCPCYKLYIPTYITIDETIKNTTNLFLDGAFT
TELMGDMSGISKSNMHKVISEMAITQFDLCRADTTKPEITQCLNSTMYIYIDPAYTNNSEASGTGIGAIL
TFKNNSSKCIIVGMEHYFLKDLTGTATYQIASCACSLIRASLVLYPHIQCVHVAVEGNSSQDSAVAISTL
INECSPIKVYFIHYKDKTTTMQWPIYMLGAEKSIAFESFIYAINSGTISASQSIISNTIKLSFDPISYLI
EQIRSIRCYPLRDGSHTYCAKKRTVSDDVLVAVVMAYFFATSNKHIFKPLNST

>gi_695201

MLQKDAKIIFISSVNSSDQTTSFLYNLKNAKEKMLNVVNYVCPQHREDFSLQESVVSCPCYRLHIPTYIA

IDENIKDTTNLFMEGAFTTELMGDGAAATTQTNMHKVVGEPALVQFDLCRVDTGSPEAQRGLNPTLFLYV

DPAYTNNTEASGTGMGAVVSMKNSDRCVVVGVEHFFLKELTGASSLQIASCAAALIRSLATLHPFVREAH

VAIEGNSSQDSAVAIATLLHERSPLPVKFLHHADKATGVQWPMYILGAEKARAFETFIYALNSNTLSCGQ

AIVSNTIKLSFDPVAYLIEQIRAIKCYPLKDGTVSYCAKHKGGSDDTLVAVVMAHYFATSDRHVFKNHMK

QI

35 >gi_4928934

MLLSSFRNHLQKNYEKYSVQAQNIDWPVETPVLISKDSKTNRLAHPLIGVISRINLYSPTLKYYCDEYST
TKQPKFTPDIGYVRDLKKHDQYFLPKLQHHLSTLCEAYNHVDRQAQVEFNASILTLKAFNANGVLNELKQ
FLINLSCFLNGCYVSKSTCIELFQKQLILHTFYFLISIKTPEETNKMFTFFKHYVGLFDIDDNMLQCFKQ
KSTVFLIPRRHGKTWIVVAIISVLLASVENVHIGYVAHQKHVANAVFTEIITTLYQWFPSKNIEIKKENG
TIIYTKPGRKPSTLMCATCFNKNSIRGQTFNILYVDEANFIKKEALPAILGFMLQKDAKIIFISSVNSAD
KSTSFLFNLRNAKEKMLNVVNYVCPEHKEDFNLQSTLTSCPCYRLHIPTYITIDESIKNTTNLFLDDVFT
TELMGDISTFPTSSMFKVVEEQALFHFDICRVDTTQIDTVKIIDNVLYVYVDPAYTSNSEASGTGIGAVV
PLKTKVKTIILGIEHFYLKNLTGTASQQIAYCVTSMIKAILTLHPHINHVNVAVEGNSSQDSAVAISTFI
NEYCPVPVFFAHCNERSSVFQWPIYILGSEKSQAFEKFICALNTGTLSASQTIVSNTIKISFDPVAYLME

45 QIRAIRCLPLKDGSYTYCAKQKTMSDDTLVAVVMANYMAISEKHTFKELCKT >gi_1632798

MLYASQRGRLTENLRNALQQDSTTQGCLGAETPSIMYTGAKSDRWAHPLVGTIHASNLYCPMLRAYCRHY
GPRPVFVASDESLPMFGASPALHTPVQVQMCLLPELRDTLQRLLPPPNLEDSEALTEFKTSVSSARAILE
DPNFLEMREFVTSLASFLSGQYKHKPARLEAFQKQVVLHSFYFLISIKSLEITDTMFDIFQSAFGLEEMT
LEKLHIFKQKASVFLIPRRHGKTWIVVAIISLILSNLSNVQIGYVAHQKHVASAVFTEIIDTLTKSFDSK
RVEVNKETSTITFRHSGKISSTVMCATCFNKNSIRGQTFHLLFVDEANFIKKEALPAILGFMLQKDAKII
FISSVNSADQATSFLYKLKDAQERLLNVVSYVCQEHRQDFDMQDSMVSCPCFRLHIPSYITMDSNIRATT
NLFLDGAFSTELMGDTSSLSQGSLSRTVRDDAINQLELCRVDTLNPRVAGRLASSLYVYVDPAYTMNTSA
SGTGIAAVTHDRADPNRVIVLGLEHFFLKDLTGDAALQIATCVVALVSSIVTLHPHLEEVKVAVEGNSSQ
DSAVAIASIIGESCPLPCAFVHTKDKTSSLQWPMYLLTNEKSKAFERLIYAVNTASLSASQVTVSNTIQL

10 sfdpvlylisqiraikpiplrdgtytytgkqrnlsddvlvalvmahflattqkhtfkkvh >gi 2337991

5

15

25

30


35

MFYVKVMPALQKACEELQNQWSAKSGKWPVPETPLVAVETRSERWPHPYLGLLPGVAAYSSTLEDYCHL
YNPYIDALTRCDLGQTHRRVATQPVLSDQLCQQLKKLFSCPRNTSVKAKLEFEAAVRTHQALDNSQVFLE
LKTFVLNLSAFLNKRYSDRSSHIELFQKQLIMHTFFFLVSIKAPELCEKFCNIFKLYFNIDTMDQATLDI
FKQKASVFLIPRRHGKTWIVVAIISILLASVQDLRIGYVAHQKHVANAVFTEVINTLHTFFPGKYMDVKK
ENGTIIFGLPNKKPSTLLCATCFNKNSIRGQTFQLLFVDEANFIKKDALPTILGFMLQKDAKIIFISSSN
SSDQSTSFLYNLKGASERMLNVVSYVCSNHKEDFSMQDGLISCPCYSLHVPSYISIDEQIKTTTNLFLDG
VFDTELMGDSSCGTLSTFQIISESALSQFELCRIDTASPQVQAHLNSTVHMYIDPAFTNNLDASGTGISV
IGRLGAKTKVILGCEHFFLQKLTGTAALQIASCATSLLRSVVIIHPMIKCAQITIEGNSSQDSAVAIANF

20 IDECAPIPVTFYHQSDKTKGVLCPLYLLGQEKAVAFESFIYAMNLGLCKASQLIVSHTIKLSFDPVTYLL
EQVRAIKCQSLRDGSHTYHAKQKNLSDDLLVSVVMSLYLSSANTLPFKPLHIERFF
>gi_2317977

MLQKDAKIFFISSVNSGEKTTSFLYNLKDANEKMVNVVSYVCSEHMEDFNKQSAITACPCYRLYVPEFIT
INDNIKCTTNLLLEGSFATELMGNMQSHTEVSGNSMIHESSLTRLDFYRCDTAGQGAPTTENTLFVYIDP
AYGNNVHASGTGIVAMSHCKHTKKCIILGLEHFFLNNLTGTAAHNIASCATALLEGILFQHPWIQEIRCI
IEGNSNQDSAVAIATFISHNIKLPTLFASYRDKTGMQWPIYMLSGDKTLAFQNFISSLNQGLLCASQTVV
SNTVLLSSDPISYLIEQIKNTKCIYHKNKTITFQSKTHTMSDDVLIACVMTCYVMTTNKISYISFSIK
>qi 6625593

MFIASKKSYFEAVYRSTVSSHSEEFWKSDDPVYFTQYKKQCNRLPNAYLGTLHSASKYSENFRHYVATFS
NSPLDFPQSVFNERNPCEYSVPYLDSALQCSAKTLVGCSVSTTERNEYEVCKEATRCFKDAMSHKVLKVF
LSNLSWFLKGHYKSKQAFLEPFQKQLILHSFMFVASIKCPETTTKLFDEFKFLLDMLYFDNTDLLTFLQK
SPAFLIPRRHGKTWIVTAIISMLLTSVDDLHIGYVAHQKHVSLAVFLEISNILLAWFPRKNIDIKKENGV
ILYSHPGKKSSTLMCATCFNKNSIRGQTFNLLFVDEANFIKKEALPAILGFMLQKDAKIFFISSVNSGEK
TTSFLYNLKDANEKMVNVVSYVCSEHMEDFNKQSAITACPCYRLYVPEFITINDNIKCTTNLLLEGSFAT
ELMGNMQSHTEVSGNSMIHESSLTRLDFYRCDTAGQGAPTTENTLFVYIDPAYGNNVHASGTGIVAMSHC
KHTKKCIILGLEHFFLNNLTGTAAHNIASCATALLEGILFQHPWIQEIRCIIEGNSNQDSAVAIATFISH
NIKLPTLFASYRDKTGMQWPIYMLSGDKTLAFQNFISSLNQGLLCASQTVVSNTVLLSSDPISYLIEQIK
NTKCIYHKNKTITFQSKTHTMSDDVLIACVMTCYVMTTNKISYISFSIK



 $\Gamma ABLE$

Ċ	SBOOK STEERS STE
. c	DIRECTOR OF THE CONTRIBUTION OF THE CONTRIBUTI
240	LEOKALLAHA LEOKALLAHA
052	OKLHGTLE OKCHGTLE OKPHGTLE OKPHGTLE GGTYGTLE GGTYGTLE GGTYGTLE GGTYGTLE GGTYGTLE KSTRIQLE KQAPLE
220	KLODHTVK—KRRRIORPSYOKLHGTLELFQKHILHHRTYFVTSYLLGD—HRERA KLODHTVK—KRRRIORPSYOKLHGTLELFQKHILHHRTYFLTSYLLGD—HRERA KLOOHTVK—KRRRIORPSYOKLHGTLELFQKHILHHRTYFLTSYLLGD—HRERA LTAFTTGPP—KKRRKUVOHTHGGTYGTLELFQKHILHHRTYFLTSYLLGD—HRERA LTAFTTGPP—KKRRKUVOHTHGGTYGTLELFQKHILHHRTYFLRRVLLGD—HREGA LTAFTTGPP—KKRRKUVOHTHGGTYGTLELFQKHILHHRTYFLRRVLLGD—HREGA LTAFTTGPP—KKRRKUVOHTHGGTYGTLELFQKHILHHRTYFLRRVLLGD—HREGA LOGGOGOG—SKRRKUVOHTHGRTYGTLELFQKHILHHRTYFLRRVLLGD—HREGA LOGGOGOG—SKRRKUVOHTHGRTYGTLELFQKHILHHRTYFLRRVLLGD—HREGA LOGGOGOGO—SKRRKVDVPTYGKGTLELFQKHILHHRTYFLRRVLLGD—HREGA ECGSHG——KRRKVDVPTYGKGTLELFQKHILHHRTYFTRAVILGD—HREGA ECGSHG——KRRKVDVPTYGKGTLELFQKHILHHRTYFTRAVILLGD—HREGA EGGD———————————————————————————————————
0 7 7	WINKLOOHTWK. WINTLOOHTWK. WINTL
200	CLINSFRO CLLINSFRO CLLINSFRO CLLOTSFRO CLVOTSFRO CLVOTSFRO CLVOTSFRO CLVOTSFRO CLVOTSFRO CLVOTSFRO CLLOGFSTO CLLOGFSTO CHLCCVY- FLNGCYVS- FLNGCYNS
. 190	THERMAYSTRINGTESING TO THE TERM TO THE TERMAN TO THE TERMAN TO THE TERMAN THE
180	FISHRISD FIS
170	HRYSTHAI HRYSTHAI HRYSTHAI HRYSTHAI HRYSTHAI HRYSTHAI HRYSSHAI HRYSSCHAI HRYSSCHAI SQYTEFLES SQYTEFLES SQYTEFLES SQYTEFLES TEYNRAU TEYNRAU TEYNRAU TEYNRAU TEYNRAU TEYNRAU TEYNRAU TEYNRAU TEKTSSKI
160	GEYDERECRARK QEYDERECRARK RECAPEDAYDOR WEYNDAGORAN RECAPEDAYDOR WEYNDAGORAN WEYNDAGORAN RECAPEDAYDOR WEYNDAGORAN RECAPEDAYPOR WEYNDAGORAN RECAPEDAYPOR RECAPEDA R
150	RITNAGAFLSPHMRYARISITFGEYDEHEC SKRNREALLAPTLTRVANSITFGEYDEHEC SKRNREALLAPTLTRVANSITFGEYDEHEC -TAKLEFLAPELVRAVARLRFRECAPEDATAKLEFLAPELVRAVARLRFRECAPROVSSVERYUDRVRYQALKTISFYEYSDUGAGTGEAHVSRELAGVLSALRFARAHPAEATSVNANVSPELKRAVSSYGFYEYSPER FTGAREDSILPALRQKLANLNFRFRPSDSTILPSILYKLQEHKFLPRSDKSFTILPSILYKLQEHKFLPRSDKSFTILPSILYKLQEHKFLPRSDKSFTILPSILYKLQEHKFLPRSDKSFTILPSILYKLQEHKFLPRSDKSFTILQULSNYVKLITSQHVCHOTE KHQYLDLQULSNYVKLITSQHVCHOTE KHDQYFLYKLQHHVST TFWQYQHCLLPELBTLQCAKLFSCPRNTSVK TPVQYQHCLLPELBTLQCSRKTLVGCSVSTTER
140	ORFLSPHT ORFLSPHT CEFLRPELY LEFLRPELY LEFLRPELY CERTUDPLY ORNUSPELK OR
131	RITHRA SKRING SK
	gi_10180719 gi_7673189 gi_7673189 gi_18698792 gi_2605992 gi_330792 gi_330792 gi_330792 gi_371317 gi_2746296 gi_7733564 gi_1181370 gi_2746296 gi_17132696 gi_2746296 gi_17132696 gi_2746295 gi_4019255 gi_6625593 gi_6625593 gi_6625593 gi_1718281 gi_6625939 gi_1718281 gi_6625939
	SUBSTITUTE SHEET (RULE 26)

TABLE 2 CONTINUED




TABLE 2 CONTINUED





TABLE 2 CONTINUED



780	FIRE TRANSPORTER THE TRANSPORT
077	LORGKTHREDFEIGHENGRAU GROUL 93 TTYSL TURPPETLINGLINISEWIG——PICTRIFSIGKGG——HODTVARLTHAYTSARL—PDOMFREPTRAL LORGKTHREDFEIGHENGRAUGH GROUP WILLIAMYTSARL—PDOMFREPTRAL LORGKTHREDFEIGHENGRAUGH GROUP WILLIAMYTSARL—PDOMFREPTRAL LORGKTHREPETRAL GROUP WILLIAMYTSARL HODGKTHREPTRAL LINGKTTHREPTRAL LARGKTHREPTRAL LARGKTHREPTRAL LINGKTHREPTRAL LARGKTHREPTRAL LARGK
750	CKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGBOOKKGGGGGGGGGG
740	
730	LOROKTTAFOFFIAGOFKSGRVL ASOOL VSTTYSL TTOPVEYLTROLTMISEVYTG— LOROKTAFOFFIAGOFKSGRVL ASOOL VSTTYSL TTOPVEYLTROLTMISEVYTG— LOROKTAFOFFIAGOFKSGRVL ASOOL VSTTYSL TTOPVEYLTROLTMISEVYTG— LOROKTAFOFFIAGOFKSGRVL ASOOL VSTTYSL TTOPVEYLTROLTMISEVYTG— LOROKTAFOFFIAGOFKSGRVL ASOOL VSTTYSL TTOPVEYLT TOTAL TETYSP— LOROKTAFOFFIAGOFKSGRVL ASOCLYSATYRL OTDPVEYLL TOTAKUL TEVTG— LOROKTAFOFFIAGOFKSGRVASOCLYSATYRL OTDPVEYLL TOTAKUL TEVTG— LOROKTAFOFFIAGOFKSGRVASOCLYSATYRL OTDPVEYLL TOTAKUL TEVTG— LOROKTAFOFFIAGOFKSGRVASOCLYSATYRL GTOPVEYLL TOTAKUL TEVTGOF MERRICHLEVSGRVASOCLYSATYRL GTOPVEYLL TOTAKUL TEVTGOF MERRICHLEVSGRVASOCLYSATYRL STAPPLETILEOTOML TEVTGOF MERRICHLANGOTSKRYASOCLISFTIKLTYDDPEYLLEOTOML TEVTGOF MERRICHLANGOTSKRYASOCLISFTIKLTYDDPEYLLEOTOML TEVTGOF MERRICHLANGOTSKRYASOCLISFTIKLTYDDPEYLLEOTORITATIONSWN— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTYDDPEYLLEOTORITATIONSWN— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTYDDPEYTLEOTORITATIONSWN— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTYDDPEYTLEOTORITATIONSWN— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTYDDPEYTLEOTORITATIONSWN— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTSFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTASOCLISFTIKLTSFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTASOCTISATICL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTASOCTISATICL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOTTYSMITKL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOTTYSMITKL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOTTYSMITKL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYLVEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL VEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL VEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL VEOVRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL TEOTRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL TEOTRATKCOPLR— LOGEKSSAFETFIYAR ASOTTSASOCTISATICL SFDPYTYL TEOTRATKCOPLR— LOGEKSKAPESTIYAR ASOTTSASOCTISATICL SFDPYTYL TOPPEYATICLOTAFICATIONS LOGEKSKAPESTIYAR ASOTTSASOCTISATICL STOPPEYATICL SFDPYTYL TOPPEYATICLOTAFICATIONS LOGEKSKAPESTIYAR ASO
720	10PVEYLTKO 10PVEYLTKO 10PVEYLTKO 10PVEYLTKO 10PVEYLEG 10
710	CUSTTYST. OLYSTTYST. OLYSTTYST. OLYSTTYST. OLYSTTYST. OLYSTTYST. OLYSTTYST. OLYSTYRE. ELYSTYRE. ELYSTYRE. ELYSTYRE. ELYSTYRE. ELYSTYRE. ELYSTYRE. TYSRITKE. STENTRE. STENTRE. TYSRITKE.
200	FHSGRYL BGG FHSGRYL BGG FHSGRYL BGG FHSGRYL BGG FHSGRYL BGG FHSGRYL BGG FHSGRYK BGG FHSGRYK BGG FHSGRYK BGG FHSGRYK BGG FHSGRYK BGG FHSGRYK BGG FHSGRYK BGG LHSGRY BGG
069	LOROKTIAFDFFIAGHSGRYLASGOLYSTTYSLTIDPVEYLTKQLTHISEVYTG LOROKTAFDFFIAGHSGRYLASGOLYSTTYSLTIDPVEYLTKQLTHISEVYTG LOROKTAFDFFIARFHSGRYLASGOLYSTTYSLTIDPVEYLTKQLTHISEVYTG LOROKTAFDFFIARFHSGRYLASGOLYSTTYSLTIDPVEYLTKQLTHISEVYTG LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYSLTIDPVEYLTKQLTHISEVYTG LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYRLQTDPVEYLTGOLNILTEVYTG LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYRLGTDPVEYLTEQUALKETYTGOL LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYRLGTDPVEYLTGOLNILTEVTGOL LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYRLGTDPVEYLTGOLNILTEVTGOL LOKOKTOFDFHTKAFHSGRYLASGOLYSTTYRLGTDPVEYLTGOLNILTEVTGOL LOKOKTOFDFHTKAFHSGRYLASGOLYSTTKLTYDPVEYLTGOLNILTEVTGOL LOKOKTOFDFHTKAFHSGRYLASGOLYSTTKLTYDPVEYLTGOLNILTEVTGOL LOKOKTOFFHTSTAFHSGRYKASGOLYSTTKLTYDPVEYLTGOLNILTEVTGOL LOKOKTOFFHTSTAFHSGRYKASGOLYSTTKLTYDPVEYLTGOLNILTEVTGOLNILTEVTGOL LOKOKTOFFHTSTAFHSGRYKASGOLTSFTTKTTYDPVEYLTGOTRANTGTSTYL LOKEKSTGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTLSASGOTVSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTSSGOTYSSNITKLSFDPYTYLGOTRATTCTPLR LOGEKSSGFFETTYFILGTSSGOTYSSNITKLSFD
689	
670	RP—TPHNYSFYHSKSNGTUVEPPFL RP—TPHNYSFYHSKSNGTUVEPPFL RP—GPALLFYHCEPPGGNYEPFFL RH-GBGPELLFYHCEPPGGNYPFFL VP—HPGHYLFYHCTPPGGSVRYPFFL VP—HPGHYLFYHCTPPGGSVRYPFFL VP—HPGHYLFYHCTPPGGSVRYPFFL VP—HPGHYLFYHCTPPGGSVRYPFFL VP—HPGHYLFYHTPDQNUTEQ-PFYL VP—HPGHYLFHTPDQNUTEQ-PFYL VP—HTFHTLDGSGTRQ-PFYL VP—HTFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEQ-PFYL VP—PHFHTPDQNUTEG-PFYL VPFHTPTDGSSTQUPTYN VPFHTPTDGNUTEQ-PFYL VPFHTPDQNQTRQ-PFYL VPFHTPDQNQTRQ-PFYL VPFHTPDQNQTRQ-PFYL
651 660 	### ##################################
표 그	
2	gi_10180713 gi_5589285 gi_15589285 gi_165937 gi_2559502 gi_330792 gi_330792 gi_330792 gi_330792 gi_3130808 gi_7131808 gi_7131808 gi_7135808

TABLE 2 CONTINUED

TABLE 2 CONTINUED

```
gi_10180719
gi_7673189
gi_7673189
gi_5689285
gi_1869837
gi_5605932
gi_971317
gi_5706110
gi_971317
gi_971317
gi_2746296
gi_2746393
gi_60355
gi_60355
gi_60355
gi_60355
gi_60355
gi_60355
gi_60355
gi_60355
gi_4928934
gi_2246515
gi_685593
gi_4928938
gi_685593
```

-26-

Table 3. Degenerate primers generated by CODEHOP

Block x7263xbliD

TLYVYIDP oligo:5'-AACCTGTACGTGtayntngaycc-3' degen=64 temp=33.4 Extend clamp

TLYVYIDPA oligo:5'-AACCTGTACGTGTACntngayccngc-3' degen=128 temp=36.0 Extend clamp

TLYVYIDPAY oligo:5'-AACCTGTACGTGTACATngayccngcnt-3' degen=128 temp=42.5 Extend clamp

Complement of Block x7263xbliD

Y I D P A Y T N N T . atrnanctrggGCGGATGTGGTTGT oligo:5'-TGTTGTTGGTGTAGGCGggrtcnanrta-3' degen=64 temp=62.9

D P A Y T N N T R A anctrgqncqnaTGTGGTTGTTGGGGTCCG oligo:5'-GCCTGGGTGTTGTTGGTGTangcnggrtcna-3' degen=128 temp=61.8

D P A Y T N N T R A ctrggncgnawGTGGTTGTTGTGGGTCCG oligo:5'-GCCTGGGTGTTGTTGGTGwangcnggrtc-3' degen=64 temp=61.0

Block x7263xbliE

CIIFGMEHFF oligo:5'-TGGATCATCTTCGGCATngarcaytwyt-3' degen=64 temp=55.7 Extend clamp

. I F G M E H F F L oligo:5'-CATCTTCGGCATGGAGcaytwytwyyt-3' degen=64 temp=62.0

Complement of Block x7263xbliE

E .H F F L R D L T G ctygtrawrawGGACTTCCTGGACTGCCC degen=32 temp=61.7 · ·

oligo:5'-CCCGTCAGGTCCTTCAGGwarwartgytc-3'

HFFLRDLTG tygtrawrawrrACTTCCTGGACTGCCCG degen=128 temp=60.8

oligo:5'-GCCCGTCAGGTCCTTCArrwarwartgyt-3'

HFFLRDLTG qtrawrawrraCTTCCTGGACTGCCCG oligo:5'-GCCCGTCAGGTCCTTCarrwarwartg-3' degen=64 temp=60.8

Block x7263xbliF

EVHIAVEGN oligo:5'-GGACGTGCACGTCGCCrtngarggnaa-3' degen=64 temp=63.8.

Complement of Block x7263xbliF

E G N S S Q D S A anctycenttrwGGTTGGTCCTGAGGCGG oligo:5'-GGCGGAGTCCTGGTTGGwrttnccytcna-3' degen=128 temp=62.7

E G N S S Q D S A V ctyccnttrwsGTTGGTCCTGAGGCGGC oligo:5'-CGGCGGAGTCCTGGTTGswrttnccytc-3' degen=64 temp=63.9

-27-

CLAIMS

- 1. A method of designing a panel of degenerate primer pairs for screening for new members of multiple known virus families in a biological sample, wherein each primer pair in the panel binds a sequence that is conserved across members of a said virus family and selectively directs amplification of sequence of said family by PCR, which method comprises
 - (a) providing a plurality of amino acid sequences from members of a first virus family,

10

- (b) comparing the sequences to identify conserved regions,
- (c) designing a first primer pair using a computer based method, wherein each primer in the pair binds a nucleotide sequence that encodes a conserved region identified in
- (b) and wherein the primer pair is designed to amplify by PCR the nucleotide sequence between the nucleotide sequences that encode conserved regions in members of the first virus family, and
 - (d) repeating steps (a) to (c) for each virus family.

20

- 2. A method of designing a panel of degenerate primer pairs for screening for new members of multiple known virus families in a biological sample, wherein each primer pair in the panel binds a sequence that is conserved across members of a said virus family and selectively directs amplification of sequence of said family by PCR, which method comprises
- (a) providing a plurality of nucleotide sequences from members of a first virus family,
- 30 (b) comparing the sequences to identify conserved regions,

(c) designing a first primer pair using a computer based method, wherein each primer in the pair binds a conserved region identified in (b) and wherein the primer pair is designed to amplify by PCR the nucleotide sequence between the conserved regions in members of the first virus family, and

5

10

- (d) repeating steps (a) to (c) for each virus family.
- 3. A method according to claim 1 or 2 which further comprises synthesising one or more of the primer pairs and determining optimal conditions for using the primer pairs in PCR.
- 4. A method according to any one of the preceding claims which comprises testing the ability of one or more of the primer pairs to amplify a nucleotide sequence that encodes an amino acid as defined in claim 1(a) or a nucleotide sequence as defined in claim 2(a).
- 5. A method according to claim 3 or 4 which comprises testing the primer pair(s) in a range of buffer conditions to determine the optimal buffer conditions for PCR.
- 20 6. A method according to any one of claims 3 to 5 which comprises testing the primer pair(s) at a range of different temperatures to determine the optimal temperature for PCR.
- 7. A method according to any one of the preceding claims which comprises
 25 identifying one or more groups of primer pairs wherein the primer pairs in each group have similar optimal conditions of use in PCR such that they can be used optimally in the same reaction vessel.
- 8. A method according to claim 7 wherein each primer pair in a group generates a30 PCR product of a different size to the other primer pair(s) in the group.

- -9. A method according to claim 7 or 8 wherein each primer pair in a group carries a different label from the other primer pair(s) in the group.
- 10. A method according to claim 9 wherein each primer pair in a group carries adifferently-coloured flourescent label.
 - 11. A method according to any one of the preceding claims wherein the biological sample is a single-source sample from a single individual or is a pooled sample from more than one individual of the same species.

- 12. A method according to claim 11 wherein the biological sample is a human sample.
- 13. A method according to any one of the preceding claims wherein at least 50% of the primer pairs bind a sequence that is conserved across all of the genuses and/or subfamilies.
 - 14. A panel of primers designed according to any one of the preceding claims.

FIG 1

1/1

